



Material Safety Data Sheet American Eagle Undercoating

1. Identification of the Substance/Preparation and of the Company / Undertaking

MSDS compliant with regulations – (EC) No 1907/2006 (REACH), (EC) No 1272/2008 (CLP)

1.1: Identification of the substance/mixture and of the company/undertaking

Product Identifier.....	No information available
Reach Registration number.....	No information available
Product name.....	American Eagle Undercoating
Product type.....	No information available
EC-No.	N/A
Formular.....	N/A
...	

1.2: Relevant identified uses of the substance or mixture and uses advised against

Ecology-use.....	Unclassified
Main use category.....	American Eagle Undercoating
Industrial category.....	Unclassified

1.3: Company/undertaking identification

0E ÒÜÔ0E À00EŠÒ

2. Hazards Identification

2.1. classification of the substance or mixture

This substance is classified as dangerous

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]
Extremely flammable gas,
Classification according to EU Directives 67/548/EEC or 1999/45/EC
Extremely flammable gas,

2.2. Label elements

Labelling according Regulation (EC) No 1272/2008 [CLP]

Pictogram.....



Signal word..... Danger



Material Safety Data Sheet

American Eagle Undercoating

Hazard statement(s)

H229

Pressurised container: May burst if heated

H220

Extremely flammable gas

Precautionary statement(s)

P210

Keep away from heat, Open flames, sparks, hot surfaces. - No smoking

P377

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P403

Store in well-ventilated place.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P260

Do not breathing dust/fume/gas/mist/vapours/spray.

2.3. Other hazards - none

3. Composition/Information on Ingredients

3.1 Mixtures

Synonyms

N/A

Formula

MIXTURES

Molecular Weight

N/A

Dangerous Component		Classification	concentration
TOLUENE			
CAS-No.	108-88-3	H225,	10-15%
EC-No.	N/A		
Annex I number	N/A		
LPG			
CAS-No.	68476-85-7	H220, H229	20-30%
EC-No.	N/A		
Annex I number	N/A		
CALCIUM CARBONATE			
CAS-No.	471-34-1		5-15%
EC-No.	N/A		
Annex I number	N/A		
XYLENE			
CAS-No.	108-38-3	H225	10-15%
EC-No.	N/A		
Annex I number	N/A		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16



Material Safety Data Sheet American Eagle Undercoating

4. First-Aid Measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

Eye Contact.....	Irrigate thoroughly with water for at least 15 minutes. Obtain medical attention
Skin Contact.....	Wash off skin thoroughly with water. Remove contaminated clothing and wash before reuse. In severe cases obtain medical attention.
Inhalation.....	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.
Ingestion.....	Do not induce vomiting. If patient is conscious, drink a lot of water. Seek medical advice if symptoms persist

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. Fire-Fighting Measures

5.1 Extinguishing media

Foam, CO2 or dry powder.

For large fire use: Water spray. Do not use water jet.

5.2 Special hazards arising from the substance or mixture

May give off toxic fumes in a fire - Carbon Monoxide, Carbon Dioxide and various Hydrocarbons.

5.3 Advice for firefighters

Use water spray to cool fire-exposed containers and as a protective screen. Wear full set of protective equipment including chemical goggles and gloves.

5.4 Further information

In no case should you attempt to extinguish the fire! Evacuate the population to a place of safety.



Material Safety Data Sheet American Eagle Undercoating

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth, sawdust and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.

6.4 Reference to other sections

For disposal see section 13.

7. Handling And Storage

7.1. Handling

Handling.....	Avoid breathing fumes if this product is used at high temperatures. Keep away from potential sources of ignition. Wash hands after handling and before eating.
Handling temperatures.....	No information available

7.2. storage

Storage.....	Do not use or store near heat, sparks or open flame. Do not puncture or incinerate container. Store in a cool, dry place, Keep the container tightly closed.
--------------	--



Material Safety Data Sheet American Eagle Undercoating

7.3. special use(s) and requirements

Product transfer/packing requirement.....	No information available
Recommended materials.....	N/A
Unsuitable materials.....	N/A

8. Exposure Controls / Personal Protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Personal Protective Equipment:

Hand, Skin and Eye protection.....	Safety glasses are recommended during handling and maintenance. In the event of leakage wear gloves. In the event of leakage, wear chemical apron. In all fire situations, use self-contained breathing apparatus.
Respiratory Protection.....	In case of insufficient ventilation, wear suitable respiratory equipment
Body Protection	Apron or other light protective clothing, boots and plastic or rubber gloves.

9. Physical And Chemical Properties

9.1. general information

Appearance.....	Form: AEROSOL
Colour.....	BLACK
Odour.....	fragrance

9.2. important health, safety and environmental information

Initial boiling point and boiling range.....	> 110°C
Flash point.....	>(-74)°C, open cup test
Auto-ignition temperature.....	> 482°C
Upper/lower flammability or explosive limits.....	LEL: 1.9-3.2% UEL: 9.5-13%
Density.....	no data available
Solubility in water.....	nil
n-octanol/water partition coefficient (log pow).....	no data available
Kinematic viscosity.....	no data available
Surface tension.....	no data available
Specific Gravity.....	0.86-1.2
Volatile organic carbon content.....	no data available



Material Safety Data Sheet American Eagle Undercoating

Relative Vapour Density (air=1).....	1.5-2.5
Molecular mass.....	No information available
PH.....	No information available

10. Stability And Reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under normal temperature conditions

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to Avoid

Avoid excessive heat and all sources of ignition.

10.5 Incompatibilities with Other Materials

No information available

10.6 Hazardous Decomposition Products

May give off toxic fumes in a fire: Carbon Monoxide, Carbon Dioxide and various Hydrocarbons

10.7 Hazardous Polymerization

Hazard polymerization will not occur.

11. Toxicological Information

Acute toxicity – oral.....	no data available
Acute toxicity – derma.....	no data available
Acute toxicity – inhalation.....	Harmful: if swallowed

11.1. Effects and symptoms

Symptoms/injuries after skin contact.....	no data available
Symptoms/injuries after inhalation.....	no data available
Symptoms/injuries after eye contact.....	no data available
Carcinogenicity	May cause heritable genetic damage.

11.2. other information

Hazchem code.....	N/A
Potential health effects	no data available

12. Ecological Information



Material Safety Data Sheet American Eagle Undercoating

12.1. Ecotoxicity.....	no data available
12.2. Environmental Fate.....	no data available
12.3. Physical/Chemical.....	no data available
12.4. Bio accumulative potential.....	no data available

13. Disposal Considerations

13.1. ecological aspects

Ecological general..... No information available

13.2. disposal instructions

Waste disposal.....	Dispose of residues to allocated disposal area, according to national/local regulations..
Product disposal.....	No information available
Container/package disposal.....	No information available
Disposal precautions.....	No information available

13.3. EU and local legislation

ISRAELI legislation - Licensing of Businesses Regulations (Disposal of Hazardous Wastes), 1990.

EU - Directive 91/689/EEC on hazardous waste

14. Transport Information

DOT Classification.....	UN1950, AEROSOLS, CLASS 2.1
ADR.....	UN1950, AEROSOLS, CLASS 2.1
IMDG Code.....	UN1950, AEROSOLS, CLASS 2.1
ICAO.....	UN1950, AEROSOLS, CLASS 2.1



Material Safety Data Sheet American Eagle Undercoating

15. Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

no data available

15.3. compliancy additional legislation

ISRAELI legislation - Hazardous Substances Law, 1993, Licensing of Businesses Regulations (Disposal of Hazardous Wastes), 1990, Hazardous Substances Regulations (Import and Export of Hazardous Wastes), 1994, Licens ing of Businesses Regulations (Hazardous Industrial Plants), 1993, transport services law, 1997, Licensing of Businesses Regulations (oil storage), 1976.

16. Other Information

Text of H-code(s) mentioned in Section 3

H229 Pressurised container: May burst if heated

H220 Extremely flammable gas

Reach references.....	Not registered
Revision date.....	5.6.2015
Revision information.....	New Addition
Other information.....	Not available

Disclaimer:

Chemic Engineering & Safety Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. Chemic Engineering & Safety Ltd. makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Chemic Engineering & Safety Ltd will not be responsible for damages resulting from use of or reliance upon this information.
